



# BLOSSOMING RESILIENCE: HOW UNF VOLUNTEERS TRANSFORMED A CAMPUS AMIDST CRISIS


In October 2020, The r Te A cticing social helstapiga began renovating weedy landscape beds and curating new displays. Their efforts saved an overgrown native wildflower field from being converted to turf.

Now, ten garden displays proudly hold the prestigious Florida-Friendly Landscaping Gold certification. These volunteers contribute to maintenance, education, tours, and outreach, ensuring the garden Floce practices. They

I presented a workshop on the importance of community gardens in urban environments. The workshop focused on the benefits of community gardens, including improved food security, social cohesion, and environmental education. I shared examples of successful community gardens and discussed strategies for starting and maintaining one. The workshop was well-received and led to the formation of a new community garden in the neighborhood.


A list of community gardens and their locations in the area. The list includes the name of the garden and the address or neighborhood it is located in.





## Wildflower

Their rapid and efficient efforts were crucial in rescuing several endangered garden beds, including an overgrown native wildflower.




“3:¥ G-¥-1 \ ÄkU-`¥ ‘™ î¥ / 3 G `:î` ?`3 ` Ä `î¥? Ä ŽkUU?`î¥k!; î ?¥î¥, .

Their rapid and efficient efforts were crucial in rescuing several endangered garden beds, including an overgrown native wildflower.

“3:¥ G-¥-1 \ ÄkU-`¥ ‘™ î¥ / 3 G `:î` ?`3 ` Ä `î¥? Ä ŽkUU?`î¥k!; î ?¥î¥, .

Their rapid and efficient efforts were crucial in rescuing several endangered garden beds, including an overgrown native wildflower.

Their rapid and efficient efforts were crucial in rescuing several endangered garden beds, including an overgrown native wildflower.



Their rapid and efficient efforts were crucial in rescuing several endangered garden beds, including an overgrown native wildflower.

H'î ? ¥'î`™? ¥? 2k k^¥'î ? ¥? k'î U™ î žî?`¥ `î` ¥k¥: `?` G Uk' ? î`  
G' ? ` g ië™ î ž?`3 Z G G g[ ž' ?` ? ž U^î™` ¥k'î` : î` 2 ö ? `: E™  
: î` 3 î? ^ `¥k- ¥î™R^ T k F M ¥™ H™ k- ' Á™? U™ ?` B ¥? Ä` G G g  
ž Uî` ¥™ H Áî¥ ' k`™ ' Äî¥? k` H ' - ?` 3 : ^? î U ?` ž- ¥™ H î` î ¥ ¥'î ¥?` 3 Á? U U? 2 H Á: ? : ?™  
' - ? ž k' ^î?` ¥î G Ø k 3? - î Q™ k™ E™ ¥ G k™ M™ ¥î' Á H ¥? U? Øî R  
U î Ä î™ ^ - Uî : H ž ¥ : k ž' î` ` ' k žž - ` ?` 3 ¥' ? ^ ^ ? ž 3î ¥? î™ H ž ¥  
^ k Á?` 3 - 22 î ¥ ¥ Áî ¥' Q™ 3 M! : ?™ î ž ž' kî : k k™ ¥ ?™ ö ¥™ U  
î`™ k` 3 ?` ž k ž - U î ¥? k`™ Á: ? U ? ^ ž' k' Ä ? î 3 ž U U' ¥™ k ž ž k ¥™ H  
¥ : 3 î ' ` ? Ä ¥ ` 3 k U ' ¥? ö î ¥? k`™ M ' ¥? 2 ? T ¥: k' Ä î™  
î` - î ¥ ¥: ž - U ž' ?` k' ž k' î ¥ ¥: 3™ ž' ?` ? ž U ¥ T k ^ Á? ¥: k - ¥  
' k - ` ¥ ' ?` 3 k` 2 U? ¥™ Á? ¥: ¥: ?` O k ^ ~ Á` '™™™™ k ? î ¥? k`™ M

¥: ...



$\times$ :  $\mathbb{R}^n \rightarrow \mathbb{R}^m$  is a linear map  $\iff$   $A \in \mathbb{R}^{m \times n}$  such that  $\forall x \in \mathbb{R}^n, Ax = y$

